Registered No. M.—1175

175

# The Mysore Gazette.

Vol. 72] PUBLISHED BY AUTHORITY. [No. 1

BANGALORE, THURSDAY, MARCH 18, 1937.

## PART V

*Season Report for the Week ending with the Eleventh Saturday in* 1937
(13*th March* 1937).

| District and Station | Rainfall up to 8 A.M. on Saturday, 13th March 1937 | | | | | | Price of food grains in seers per rupee and market fluctuations in prices of food grains | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | This week | | Last 35 years' average for the corresponding week | | Up to the end of the week from 1st January 1937 | | | | | |
| | | | | | This year | | Average of past 35 years | | Excess (+) or deficit (—) of column 4 compared with column 5 | |
| 1 | 2 | | 3 | | 4 | | 5 | | 6 | |
| | I. | c. | I. | c. | I. | c. | I. | c. | I. | c. |
| **BANGALORE** | | | | | | | | | | |
| Bangalore (observatory) | 0 | 21 | 0 | 10 | 2 | 07 | 0 | 77 | 1 | 30 |
| Hoskote ... | 0 | 00 | 0 | 06 | 0 | 00 | 0 | 42 | — 0 | 42 |
| Dodballapur ... | 0 | 00 | 0 | 00 | 0 | 85 | 0 | 76 | 0 | 09 |
| Nelamangala ... | 0 | 00 | 0 | 00 | 0 | 00 | 0 | 34 | — 0 | 34 |
| Kankanhalli ... | 0 | 00 | 0 | 07 | 0 | 00 | 0 | 47 | — 0 | 47 |
| Magadi ... | 0 | 00 | 0 | 01 | 0 | 00 | 0 | 50 | — 0 | 50 |
| Channapatna ... | 0 | 00 | 0 | 02 | 0 | 41 | 0 | 48 | — 0 | 07 |
| Anekal ... | 0 | 00 | 0 | 09 | 1 | 70 | 0 | 74 | 0 | 76 |
| Devanhalli ... | 0 | 00 | 0 | 04 | 0 | 36 | 0 | 64 | — 0 | 28 |
| Closepet ... | 0 | 00 | 0 | 07 | 0 | 54 | 0 | 46 | 0 | 08 |
| District average ... | 0 | 02 | 0 | 05 | 0 | 59 | 0 | 56 | 0 | 03 |
| **KOLAR** | | | | | | | | | | |
| Kolar ... | 0 | 00 | 0 | 06 | 0 | 00 | 0 | 75 | — 0 | 75 |
| Bowringpet ... | 0 | 00 | 0 | 08 | 0 | 00 | 0 | 82 | — 0 | 82 |
| Chintamani ... | 0 | 00 | 0 | 03 | 0 | 32 | 0 | 53 | — 0 | 21 |
| Mulbagal ... | 0 | 00 | 0 | 02 | 0 | 71 | 0 | 94 | — 0 | 23 |
| Sidlaghatta ... | 0 | 00 | 0 | 00 | 0 | 36 | 0 | 57 | — 0 | 21 |
| Chikballapur ... | 0 | 00 | 0 | 00 | 0 | 00 | 0 | 90 | — 0 | 90 |
| Bagepalli ... | 0 | 00 | 0 | 00 | 1 | 48 | 0 | 36 | 1 | 12 |
| Goribidnur ... | 0 | 00 | 0 | 00 | 0 | 17 | 0 | 43 | — 0 | 26 |
| Malur ... | 0 | 00 | 0 | 07 | 1 | 35 | 0 | 66 | 0 | 69 |
| Srinivaspur ... | 0 | 00 | 0 | 06 | 1 | 48 | 0 | 81 | 0 | 67 |
| Gudibanda ... | 0 | 00 | 0 | 00 | 0 | 56 | 0 | 57 | — 0 | 01 |
| District average ... | 0 | 00 | 0 | 03 | 0 | 58 | 0 | 67 | — 0 | 09 |
| **TUMKUR** | | | | | | | | | | |
| Tumkur ... | 0 | 00 | 0 | 00 | 0 | 13 | 0 | 49 | — 0 | 36 |
| Madhugiri ... | 0 | 00 | 0 | 00 | 0 | 40 | 0 | 52 | — 0 | 12 |
| Chiknayakanhalli ... | 0 | 00 | 0 | 02 | 0 | 00 | 0 | 39 | — 0 | 39 |
| Sira ... | 0 | 18 | 0 | 00 | 0 | 37 | 0 | 40 | — 0 | 03 |
| Gubbi ... | 0 | 00 | 0 | 00 | 0 | 00 | 0 | 36 | — 0 | 36 |
| Tiptur ... | 0 | 95 | 0 | 01 | 0 | 95 | 0 | 23 | — 0 | 72 |
| Pavagada ... | 0 | 00 | 0 | 00 | 0 | 12 | 0 | 45 | — 0 | 33 |
| Kunigal ... | 0 | 45 | 0 | 00 | 1 | 13 | 0 | 29 | — 0 | 84 |

| | This week | Past week | Past 35 years' fortnightly average |
|---|---|---|---|
| | Seers | Seers | Seers |
| Rice, 2nd sort. | 7·00 | 7·00 | 8·00 |
| Ragi | 18·00 | 18·00 | 18·00 |
| Kulthi | 16·00 | 16·00 | 16·00 |
| Kadale | 10·00 | 10·00 | 10·00 |
| Rice, 2nd sort. | 8·00 | 6·00 | 6·00 |
| Ragi | 19·00 | 19·00 | 12·00 |
| Kulthi | 17·00 | 17·00 | 11·00 |
| Kadale | 9·00 | 9·00 | 7·00 |
| Rice, 2nd sort. | 9·00 | 9·00 | 5·00 |
| Ragi | 25·00 | 22·00 | 11·00 |
| Kulthi | 18·00 | 19·00 | 12·00 |

| District and Station | Rainfall up to 8 A.M. on Saturday, 13th March 1937 | | | | Price of food grains in seers per rupee and market fluctuations in prices of food grains | | | |
|---|---|---|---|---|---|---|---|---|
| | This week | Last 35 years' average for the corresponding week | Up to the end of the week from 1st January 1937 | | | | | |
| | | | This year | Average of past 35 years | Excess (+) or deficit (—) of column 4 compared with column 5 | | | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | | |
| | I. c. | I. c. | I. c. | I. c. | I. c. | | This week | Past week | Past ten years' fortnightly average |
| MYSORE | | | | | | | Seers | Seers | Seers |
| Mysore (observatory) | 0 00 | 0 03 | 0 36 | 0 48 | —0 12 | | | | |
| Chamarajnagar ... | 0 00 | 0 01 | 0 20 | 0 47 | —0 27 | | | | |
| Seringapatam ... | 0 00 | 0 04 | 0 02 | 0 51 | —0 49 | | | | |
| Hunsur ... | 0 00 | 0 00 | 0 00 | 0 37 | —0 37 | | | | |
| Krishnarajnagar ... | 0 00 | 0 02 | 1 00 | 0 38 | 0 62 | Rice 2nd sort. | 10'50 | 10'50 | 9'00 |
| Heggaddevankote .... | 0 00 | 0 08 | 1 59 | 0 63 | 0 96 | | | | |
| Gundlupet ... | 0 00 | 0 09 | 0 45 | 0 55 | —0 10 | Ragi | 17'00 | 17'00 | 14'00 |
| Nanjangud ... | 0 00 | 0 05 | 0 96 | 0 60 | 0 36 | | | | |
| T.-Narsipur ... | 0 00 | 0 04 | 0 00 | 0 51 | —0 51 | Kulthi | 18'00 | 18'00 | 1500 |
| Malvalli ... | 0 00 | 0 02 | 0 38 | 0 33 | 0 05 | | | | |
| Mandya ... | 0 00 | 0 02 | 0 00 | 0 51 | —0 51 | | | | |
| Krishnarajpete ... | 0 00 | 0 04 | 0 45 | 0 37 | 0 08 | | | | |
| Nagamangala ... | 0 00 | 0 00 | 1 35 | 0 45 | 0 90 | | | | |
| Periyapatna ... | 0 00 | 0 03 | 1 42 | 0 59 | 0 83 | | | | |
| Maddur ... | 0 00 | 0 00 | 0 12 | 0 30 | —0 18 | | | | |
| District average ... | 0 00 | 0 03 | 0 55 | 0 47 | 0 08 | | | | |
| HASSAN | | | | | | | | | |
| Hassan (observatory) | 0 00 | 0 00 | 0 92 | 0 40 | 0 52 | | | | |
| Manjarabad (Saklespur) | 0 00 | 0 01 | 1 20 | 0 41 | 0 79 | Rice 2nd sort. | 9'00 | 8'25 | 7'25 |
| Arkalgud ... | 0 00 | 0 00 | 0 81 | 0 53 | 0 28 | | | | |
| Belur ... | 0 00 | 0 00 | 0 98 | 0 40 | 0 58 | Ragi | 20'00 | 22'00 | 14'00 |
| Channarayapatna ... | 0 00 | 0 00 | 0 60 | 0 23 | 0 37 | | | | |
| Arsikere ... | 0 25 | 0 01 | 0 65 | 0 38 | 0 52 | Kulthi | 19'00 | 19'00 | 12'00 |
| Hole-Narsipur ... | 0 00 | 0 00 | 0 77 | 0 36 | 0 41 | | | | |
| Alur ... | 0 00 | 0 00 | 0 58 | 0 43 | 0 15 | Kadale | 10'00 | 9'00 | 6'00 |
| District average ... | 0 03 | 0 00 | 0 81 | 0 39 | 0 45 | | | | |
| SHIMOGA | | | | | | | | | |
| Shimoga ... | 0 00 | 0 08 | 0 00 | 0 33 | —0 33 | | | | |
| Channagiri ... | 0 00 | 0 01 | 0 00 | 0 29 | —0 29 | | | | |
| Honnali ... | 0 00 | 0 00 | 0 00 | 0 45 | —0 45 | Rice 2nd sort. | 10'00 | 10'00 | 6'24 |
| Shikarpur ... | 0 00 | 0 00 | 1 00 | 0 13 | —0 87 | | | | |
| Scrab ... | 0 00 | 0 01 | 0 00 | 0 16 | —0 17 | Ragi | 24'00 | 24'00 | 13'40 |
| Sagar ... | 0 00 | 0 00 | 0 00 | 0 22 | —0 22 | | | | |
| Nagar (Kallurkatte)... | 0 00 | 0 00 | 0 00 | 0 17 | —0 17 | Kulthi | 15'00 | 15'00 | 9'50 |
| Tirthahalli ... | 0 00 | 0 00 | 0 00 | 0 22 | —0 22 | | | | |
| Kumsi ... | 0 00 | 0 01 | 0 14 | 0 17 | —0 03 | | | | |
| District average ... | 0 00 | 0 01 | 0 13 | 0 23 | —0 10 | | | | |
| KADUR | | | | | | | | | |
| Chikmagalur ... | 0 00 | 0 00 | 0 20 | 0 48 | —0 28 | | | | |
| Kadur ... | 0 00 | 0 02 | 0 00 | 0 34 | —0 32 | Rice 2nd sort. | 8'00 | 8'00 | 8'00 |
| Tarikere ... | 0 00 | 0 00 | 0 00 | 0 30 | —0 30 | | | | |
| Koppa ... | 0 00 | 0 00 | 0 00 | 0 51 | —0 51 | Ragi | 20'00 | 25'00 | 20'00 |
| Mudgere ... | 0 00 | 0 00 | 1 42 | 0 31 | 1 11 | | | | |
| Narasimharajpura ... | 0 00 | 0 00 | 0 54 | 0 32 | 0 22 | Kulthi | 16'00 | 20'00 | 16'00 |
| Sringeri ... | 0 00 | 0 01 | 0 00 | 0 25 | —0 25 | | | | |
| District average ... | 0 00 | 0 00 | 0 31 | 0 35 | —0 04 | Kadale | 11'00 | 10'00 | 9'00 |
| CHITALDRUG | | | | | | | | | |
| Chitaldrug(observatory) | 0 00 | 0 02 | 0 03 | 0 48 | —0 45 | | | | |
| Challakere ... | 0 00 | 0 00 | 0 00 | 0 45 | —0 45 | Rice 2nd sort. | 8'00 | 8'00 | 5'00 |
| Hiriyur ... | 0 00 | 0 04 | 0 00 | 0 29 | —0 29 | | | | |
| Holalkere ... | 0 00 | 0 03 | 0 00 | 0 42 | —0 42 | Ragi | 25'00 | 25'00 | 10'00 |
| Davangere ... | 0 00 | 0 01 | 0 00 | 0 28 | —0 28 | | | | |
| Molakalmuru ... | 0 00 | 0 00 | 0 00 | 0 47 | —0 47 | Kulthi | 20'00 | 20'00 | 8'00 |
| Jagalur ... | 0 00 | 0 00 | 0 00 | 0 57 | —0 57 | | | | |
| Hosdurga ... | 0 00 | 0 02 | 0 08 | 0 36 | —0 38 | Cholum | 18'00 | 18'00 | 12'00 |
| Harihar ... | 0 00 | 0 02 | 0 00 | 0 28 | —0 28 | | | | |
| District average ... | 0 00 | 0 02 | 0 01 | 0 40 | —0 39 | Kadale | 8'00 | 8'00 | 5'00 |

## DISTRICT REPORTS.

8. Markets how supplied.

9. Progress of agricultural operations, state of standing crops, prospects and probable outturn of harvests, serious damages done to crops by insects or other natural calamities.

10. The prospects of the season, tracts in which the rainfall has been insufficient, areas affected by scarcity, number of people under relief and state of food stocks.

11. Remarks as to the condition of agricultural stock, failure of pasturage or fodder, etc.

## BANGALORE CITY AND TALUKS.

8. Well supplied.

9. *Standing Crops.*—Paddy and sugarcane are in good condition.

*Crops Harvested.*—Sugarcane is being milled in parts of Bangalore, Dodballapur, Nelamangala, Kankanhalli, Magadi, Channapatna and Devanhalli Taluks; ragi is being harvested in parts of Kankanhalli, Closepet, Channapatna, Anekal and Devanhalli Taluks.

*Crops Sown.*—Vaisakhi paddy is being sown in parts of Dodballapur Taluks; sugarcane is being sown in parts of Kankanhalli Taluk.

10. Good.

11. Cattle are generally healthy.

Water and fodder are available.

## KOLAR.

8. Well supplied.

9. *Agricultural Operations.*—Raiyats are engaged in preparing Wet and Garden lands for sowing sugarcane in several Taluks of the District.

*Standing Crops.*—Paddy, sugarcane, potatoes, chillies, mulberry and jola are reported to be in good condition.

*Crops Sown.*—Sugarcane in parts of Mulbagal Taluk, Chickballapur Taluk, paddy in Goribidnur Taluk.

*Crops Harvested.*—Sugarcane in Bowringpet, Chintamani, Mulbagal, Sidlaghatta, Chikballapur, Bagepalli, Goribidnur, Malur and Srinivaspur Taluks, ragi in Bagepalli, Malur and Chintamani Taluks; Yielding 8 to 12 annas scrop.

10. Generally good except for Plague in Ammerahalli and Vanarasi villages in Kolar Taluk, Kamasandra in Bowringpet Taluk, Chintamani Town and some villages in that Taluk, Hale Gudibanda and Gudibanda Town. It is also reported that Cholera is prevailing in Kadirenahalli and Budikote villages in Bowringpet Taluk and smallpox at Nadimpalli village in Bowringpet Taluk. Necessary preventive measures are reported to have been adopted to check the spread of the disease.

11. Cattle are reported to be generally healthy throughout the District except "Foot and Mouth" disease in the village of Cannayyagaripalli, 'Chapperoga' in Ananthapur village of Mulbagal Taluk.

Water and fodder are available.

Cooly classes find sufficient labour.

## TUMKUR.

8. Markets are well supplied.

9. *Seeds Sown.*—Paddy in Sira and Tumkur Taluks.

*Standing Crops.*—Paddy, tobacco, jola, bengalgram, sugarcane, avare and cotton are reported to be in good condition.

*Crops Harvested.*—Thogari, kulthi, bengalgram and cotton in parts of Sira Taluk; sugarcane in parts of Kunigal, Madhugiri, Tumkur Taluks and Turuvekere Sub-Taluk. Bengalgram and ragi in parts of Kortagere Taluk.

11. Water and fodder are available.

Cattle are reported to be generally healthy except for the prevalence of Black quarter in parts of Turuvekere Sub-Taluk and Tiptur Taluk. The Veterinary Inspectors concrened are reported to have been addressed in the matter.

## MYSORE.

8. Well supplied.

*Standing Crops.*—Sugarcane in parts of Nanjangud, T. Narasipur, Mandya, Krishnarajpete, Nagamangala and Maddur Taluks. Paddy in some villages of Nagamangala Taluk.

9. *Crops Harvested.*—Sugarcane in Chamarajnagar, Mandya and Krishnarajpete Taluks; sugarcane and ragi, in Malvalli Taluk; sugarcane and mulberry in Maddur Taluk.

10. Food stocks are available.
Prospects of the season are fair.
Scarcity of water is being felt in Gundlupet Taluk.

11. Cattle are reported to be generally healthy.
Fodder and water are available.

## HASSAN.

8. Well supplied.

9. *Crops Sown.*—Nil.

*Standing Crops.*—Sugarcane in the Belur, Arsikere Taluks and Alur Sub-Taluk is reported to be in good condition.

*Crops Harvested.*—Paddy in the Belur Taluk, Ragi in the Arsikere are being harvested.

10. Fair.
No sign of famine.

11. Cattle are reported to be generally healthy in all the taluks except in Kasaba Hobli, Arkalgud Taluk and Sanjegere Grama of Alur Sub-Taluk where it is reported that Blackquarter and Hæmorrhagic septicæmia are prevailing and the concerned Veterinary Inspectors are addressed in the matter.

Water and fodder are available.

## SHIMOGA.

8. Well supplied.

9. *Seeds Sown.*—Sugarcane in the Taluks of Shikarpur, Nagar and Kumsi Sub-Taluk are being planted.

*Standing Crops.*—Sugarcane in the taluks of Shimoga, Chennagiri, Nagar and Kumsi Sub-Taluk; cotton in the Chennagiri Taluk are reported to be in good condition.

*Crops Harvested.*—Sugarcane in all the taluks and the Kumsi Sub-Taluk; paddy in the taluks of Shikarpur, Sorab, Sagar, Nagar, Tirthahalli, and Kumsi Sub-Taluk; cotton in the Honnali Taluk are being harvested.

10. Prospects of the season are reported to be fair.
Cooly classes find sufficient labour.
Food grains are available.

11. Cattle are reported to be generally healthy throughout the District except for the prevalence of 'Rinderpest' at Halandur, 'Foot and Mouth' disease at Gavatoor and Kolavally of Nagar Taluk. The Veterinary Inspector concerned is reported to be taking needful action in the matter.

Fodder and water are available.

## KADUR.

8. Well supplied.

*Agricultural Operations.*—Nil.

9. *Crops Sown.*—Sugarcane in Kadur Taluk.

*Standing Crops.*—Sugarcane, Bengalgram, garlic are reported to be in good condition in all the taluks.

*Crops Harvested.*—Sugarcane in Chikmagalur, Koppa Taluks; and in Sringeri Jahagir, Bengalgram, garlic and jola in Kadur Taluk.

10. Prospects of the season are generally good.
Food grains are available and their prices remain steady.

11. Cattle are generally healthy throughout the District. It is reported that Rinderpest prevails in Hogarehalli village, in Kadur Taluk, and in Tarikere Town, Kortagere, Anuvanahalli, Jaladihalli and Narsipura villages of Tarikere Taluk. The Veterinary Inspectors concerned are taking necessary action to check the spread of the disease.
Water and fodder are available to cattle throughout the District.

## CHITALDRUG.

8. Markets are reported to be well supplied.

9. *Agricultural Operations.*—Nil.

*State of Standing Crops.*—Standing crops are reported to be in good condition.

*Crops Harvested.*—Ragi, jola and horsegram in Chitaldrug Taluk; bilijola and bengalgram in Challakere Taluk; sugarcane and bilijola in Hiriyur Taluk; ragi and jola, in Holalkere Taluk; Jola, ragi, and sugarcane in Davangere Taluk; Bengalgram and bilijola in Hosdurga Taluk; and ragi, jola and navan in Haribar Sub-Taluk.

10. Prospects of the season are reported to be good.

11. Cattle are reported to be healthy throughout the District except in Melinakanive of Molakalmuru Taluk, where Boberoga is reported to be prevailing among sheep. Necessary remedial measures are reported to have been taken by the Veterinary Inspector to check the spread of the disease.
Water and fodder are reported to be available throughout the District.

OFFICE OF THE REVENUE COMMISSIONER IN MYSORE,
*Dated Bangalore, 16th March 1937.*

K. V. ANANTARAMAN,
*Revenue Commissioner.*